



D4400Ph-Nd v2

Professional Compression Driver



KEY FEATURES

- 4" Voice coil and 2" exit
- 400 Watts continuous program power
- 109 dB Sensitivity
- Phenolic diaphragm




GENERAL SPECIFICATIONS

Exit Throat Diameter	2" (50 mm)
Nominal Impedance	8 Ohm
Nominal Power Handling	200 Watts
Continuous Program Power (RMS)	400 Watts
Peak Power	800 Watts
Sensitivity 2.83V at 1m*	109 dB
Recommended High Pass Crossover**	700 Hz***
for Full Power Handling	*12 db/oct Crossover
Frequency Response at -10dB	450 - 7,500Hz
Voice Coil Diameter	4" (101.6 mm)
Voice Coil Wire	CCAW
Voice Coil Former Material	Kapton®
Diaphragm Material	Phenolic
Flux Density	1.95 T
Magnet Material	Neodymium


EXTRA INFO

Overall Diameter	6.10" (155 mm)
Overall Depth	3.25" (82.5 mm)
Mounting Bolt Circle	M6 x 4 4" (102 mm)
Net Weight	8.81 lbs (4.0 kg)
Shipping Weight	9.25 lbs (4.2 kg)
Carton Dimensions W x L x H	6.5" x 6.5" x 4.72" (165 x 165 x 120 mm)

Impedance Curve - Free Air



Frequency Response Measured at 2.83V/1m



*Frequency Response and Impedance curves Measured on WG14-50CR

PRVA AUDIO USA (USA and Export)
POMPANO BEACH, FL
support@prvaudio.com
www.prvaudio.com